




ABSTRACTS

SEMDOK 2016

21st International Seminar of Ph.D. Students

under the auspices of
prof. Dr. Ing. Milan Sága
dean of the Faculty of Mechanical Engineering of the University of Žilina



Terchová, Slovakia
27 – 29 January, 2016

Žilinská univerzita / EDIS – Editing Centre ŽU

© Žilinská univerzita, 2016

ISBN 978-80-554-1175-0

SEMDOK 2016

21st International Seminar of Ph.D. Students
Terchová, 27 - 29 January, 2016
UNIVERSITY OF ŽILINA, SK



All published articles were reviewed by two reviewers:

Reviewers : Belan Juraj
Bokůvka Otakar
Borkowski Stanislaw
Guagliano Mario
Hadzima Branislav
Konečná Radomila
Liptáková Tatiana
Mičian Miloš
Nový František
Palček Peter
Selejdak Jacek
Tillová Eva
Ulewicz Robert
Zatkaliková Viera

Note: Authors are responsible for language contents of their papers.

CONTENTS

<i>DETERMINATION OF COHESIVE LAW OF COLD SPRAY COATING FOR AERONAUTICAL REPAIR APPLICATIONS</i>	
K. Petráčková, M. Guagliano	7
<i>INFLUENCE OF THE SLIDING SPEED ON THE WEAR RESISTANCE OF PARTS HARD FACED BY THE HIGH-ALLOYED FILLER METAL WHICH OPERATE IN CONDITIONS WITHOUT LUBRICATION</i>	
D. Arsić, V. Lazić, R. R. Nikolić, S. Aleksandrović, M. Djordjević	8
<i>INFLUENCE OF THE CONTACT AND COMPACTING PRESSURES ON THE QUALITY OF THE FRICTION WELDED JOINT</i>	
N. Ratković, D. Arsić, V. Lazić, R. R. Nikolić, B. Hadzima	9
<i>INFLUENCE OF THE VARIABLE CONTACT PRESSURE ON THE TENSILE FORCE IN THE PROCESS OF STRIP SLIDING IN THE FLAT DIE IN IRONING</i>	
M. Djordjević, S. Aleksandrović, R. R. Nikolić, V. Lazić, D. Arsić	10
<i>CONSTRUCTION OF INDUSTRIAL FLOORS</i>	
K. Dubala, J. Selejdak, P. Koteš	11
<i>MECHANICAL PROPERTIES OF STEELS HARDOX</i>	
M. Mazur	12
<i>HODNOTENIE VPLYVU SULFIDOV NA KORÓZNU ODOLNOSŤ KONDENZÁTOROVEJ MOSADZE</i>	
M. Lovíšek, T. Liptáková	13
<i>ANALÝZA ZMIEN VNÚTORNÉHO TLMENIA V ZÁVISLOSTI OD AMPLITÚDY VÝKMITU</i>	
Z. Dresslerová, P. Palček	14
<i>ANALÝZA PREDČASNE ZLYHANEJ ENDOPROTÉZY</i>	
M. Oravcová, P. Palček, M. Chalupová	15
<i>HODNOTENIE VPLYVU TEPLoty ELEKTRODEPOZÍCIE NA KVALITU VRSTVY OKTAVÁPENATÉHO FOSFÁTU (OCP) NA HORČÍKOVEJ ZLIATINE ELEKTRON 21</i>	
M. Omasta, B. Hadzima	16
<i>POROVNANIE MECHANICKÝCH VLASTNOSTÍ VZORIEK VYROBENÝCH ZO ZLIATINY Ti6Al4V ADITÍVNou TECHNOLOGIOU SLM a DMLS</i>	
A. Bača, R. Konečná, G. Nicoletto	17
<i>ÚNAVOVÁ ŽIVOTNOSŤ NÍZKOLEGOVANEJ OCELE 40NiCrMo7 PO GULŔČKOVANÍ</i>	
D. Závodská, M. Guagliano, O. Bokůvka, L. Trško	18
<i>FEM ANALYSE CORRECTION OF S-N CURVE WITH RESPECT TO WELD IMPERFECTIONS</i>	
J. Lago, M. Guagliano, O. Bokůvka, F. Nový	19
<i>HODNOTENIE TVAROVÉHO FAKTORU EUTEKTICKÉHO KREMÍKA (B-FÁZY) V Al ZLIATINE A356 POMOCOú OBRAZOVEJ ANALÝZY</i>	
K. Borko, E. Tillová	20
<i>THE MANAGEMENT OF THE PRODUCTION PROCESS IN VIEW OF NEW REQUIREMENTS OF THE STANDARD ISO 9001: 2015</i>	
B. Balon, B. Lisiecka, E. Tillová, M. Roszak	21

Name : SEMDOK 2016, 21st International Seminar of Ph.D. Students

Printed : EDIS – Editing Centre ŽU, University of Žilina,
Slovakia, 2016

Prepared : University of Žilina, Slovakia
Faculty of Mechanical Engineering
Department of Materials Engineering

Design : Mgr. Alena Töröková

ISBN 978-80-554-1175-0

INFLUENCE OF THE VARIABLE CONTACT PRESSURE ON THE TENSILE FORCE IN THE PROCESS OF STRIP SLIDING IN THE FLAT DIE IN IRONING

Milan Djordjević¹, Sribislav Aleksandrović¹, Ružica R. Nikolić^{1,2*}, Vukić Lazić¹, Dušan Arsić¹

¹ Faculty of Engineering, University of Kragujevac, Serbia

² Research Center, University of Žilina, Slovakia

An experimental computerized device was designed and constructed for analyzing the influence of the variable contact pressure on the sliding process of the model strip during the flat-die test. The multi-parameter experiment was conducted. Various materials of the tested pieces were applied (primarily thin sheet made of Al alloys and low-carbon steels sheet, with and without coating); different versions of the tool's contact elements were used, with various friction regimes and influential parameters (variable contact pressure during the sliding process, various sliding speeds, etc.). This experimental device practically represents a simulator for realization and studying of the physical model of an important segment of the ironing process in the completely realistic conditions (materials, tools, etc.).

Possibilities to influence the drawing process during its duration are limited and generally consist of influences at the rim of the thin sheet, mainly by the contact pressure (the holding force). The common characteristics to all the previous investigations in this field were setting of the fixed values of the holding force or the holder's pressure within the ironing tool. The objective of this investigation was continuous setting of the variable pressure during the sliding process, via the preset functions, in order to analyze the variable pressure influence on the ironing process. The aim of the work was to find the optimal combination of the variable contact pressure and the tribological parameters, so that the tensile force, as one of the process output parameters, would have the minimal value, as well as to avoid the undesired effects during the forming (difficult sliding of the rim, appearance of thin sheet's wrinkling, structural destruction, etc.).

Understanding the mutual dependence of the holder's variable pressure and other influences should enable improvement of the ironing process control and should contribute to better understanding of the phenomena occurring at the thin sheet's rim. In that way, one can minimize numerous problems, which are accompanying the ironing process in the exploitation conditions.

Keywords

flat-die test, deep drawing, tribological model, contact pressure, tensile force.

Testing equipment



Tools with various surface conditions



*corresponding author: ruzicarnikolic@yahoo.com